

Report +

Evaluate

$$\boxed{2} \quad \mathcal{L}^{-1} \left(\frac{\sinh sx}{s^2 \cosh sa} \right)$$

Sol

$$F(s) e^{st} = \frac{\sinh(sx)}{s^2 \cosh(sa)} e^{st}$$

$$s^2 = 0 \quad \text{or} \quad \cosh(sa) = 0$$

$$\cosh sa = \frac{e^{sa} + e^{-sa}}{2} = 0$$

$$\frac{e^{sa} + e^{-sa}}{2} = 0 \quad \Rightarrow \quad e^{2sa} = -1$$

$$2sa = \ln(-1)$$

$$\ln(x+iy) = \ln(r) + i(\theta + 2n\pi)$$

$$x = -1, \quad y = 0, \quad r = 1, \quad \theta = \pi$$

$$2sa = 0 + i(\pi + 2n\pi)$$

1

$$s_n = \frac{i(\pi \pm 2n\pi)}{2a}$$

$$\text{Res } F(s) e^{st} \underset{s=0}{=} \lim_{s \rightarrow 0} (s-0)^2 \frac{\sinh(sx) e^{st}}{s^2 \cosh(sa)} = 0$$

$$\text{Res } F(s) e^{st} \underset{s=s_n}{=} \lim_{s \rightarrow s_n} (s-s_n) \frac{\sinh(sx) e^{st}}{s^2 \cosh(sa)}$$

$$= \lim_{s \rightarrow s_n} \frac{\sinh(sx) e^{st}}{s^2} \times \lim_{s \rightarrow s_n} \frac{(s-s_n)}{\cosh(sa)}$$

$$= \frac{s_n^t \sinh(xs_n)}{s_n^2} \times \lim_{s \rightarrow s_n} \frac{1}{\sinh(sa) \frac{1}{2sa}}$$

$$= \frac{s_n^t \sinh(xs_n)}{s_n^2} \times \lim_{s \rightarrow s_n} \frac{2sa}{\sinh(sa)}$$

$$= \frac{s_n^t \sinh(xs_n)}{s_n^2} \times \frac{2s_n a}{\sinh(s_n a)} \rightarrow (1)$$

$$\sinh(x s_n) = i \sin \left[\frac{\pi \pm 2n\pi}{2a} x \right]$$

$$\sinh(a s_n) = i \sin \left[\frac{\pi \pm 2n\pi}{2a} a \right]$$

بالعربي في (1)

$$\therefore f(t) = 0 + \frac{s_n t}{s_n^2} * i \sin \left(\frac{\pi \pm 2n\pi}{2a} x \right) *$$

$$\frac{2 s_n a}{i \sin \left(\frac{\pi \pm 2n\pi}{2} \right)}$$

$$\textcircled{3} \mathcal{L}^{-1} \left(\frac{\cosh s x}{s \cosh s b} \right)$$

$$F(s) e^{st} = \frac{\cosh s x}{s \cosh s b} e^{st}$$

$$s=0 \Rightarrow s=0, \cosh s b=0$$

$$\cosh(sb) = \frac{e^{sb} + e^{-sb}}{2} \Rightarrow e^{sb} + e^{-sb} = 0 \quad \times e^{sb}$$

$$e^{2sb} = -1 \Rightarrow 2sb = \ln(-1)$$

$$\ln(x+iy) = \ln(r) + i(\theta \pm 2n\pi)$$

$$x = -1, y = 0, r = 1, (\theta = \pi)$$

$$2sb = 0 + i(\pi \pm 2n\pi)$$

$$s_n = \frac{i(\pi \pm 2n\pi)}{2b}$$

$$\text{Res } F(s) e^{st} = \lim_{s \rightarrow 0} (s-0)^3 \frac{\cosh sx e^{st}}{s^3 \cosh(sb)} = 1$$

$$\text{Res } F(s) e^{st} = \lim_{s \rightarrow s_n} (s-s_n) \frac{\cosh sx e^{st}}{s^3 \cosh(sb)} e^{st}$$

$$= \lim_{s \rightarrow s_n} \frac{e^{st} \cosh(sx)}{s^3} \times \lim_{s \rightarrow s_n} \frac{(s-s_n)}{\cosh(sb)}$$

$$4$$

$$= \frac{e^{s_n t}}{\sum_n^3 \cosh(s_n x)} * \lim \frac{1}{\sinh(s b) \frac{1}{2sb}}$$

$$= \frac{e^{s_n t}}{\sum_n^3 \cosh(s_n x)} * \lim \frac{2sb}{\sinh(s b)}$$

$$= \frac{e^{s_n t}}{\sum_n^3 \cosh(s_n x)} * \frac{2s_n b}{\sinh(s_n b)} \rightarrow \textcircled{1}$$

$$\cosh(s_n x) = \cos \left[\frac{\pi \pm 2n\pi}{2b} x \right]$$

$$\sinh(s_n b) = i \sin \left(\frac{\pi \pm 2n\pi}{2} \right)$$

بالنعو يفتق ①

$$f(t) = 1 + \frac{e^{s_n t}}{\sum_n^3 \cos \left[\frac{\pi \pm 2n\pi}{2b} x \right]} *$$

$$\frac{2s_n b}{i \sin \left(\frac{\pi \pm 2n\pi}{2} \right)}$$

5

3

$$\mathcal{L}^{-1} \frac{\tan \frac{as}{2}}{s(s+b)}$$

في استيعاب لها .

6